

4U-MIPS-224T-RAID5-HSDS

4U Rackmount IP Server w/RAID5

- Latest Generation Intel® Core i7 Processor
- Boot Drive 1TB M.2 NVMe
- 1TB NVMe M.2 SSD
- 2 x Memory 8GB DDR-5/4800
- Storage up to 576TB
- Redundant PSU, Hot Swap Drives - 224000 GB (208TB Usable)
- Arkiv, STORM, LEGEND, or 3rd party software such as ExacqVision™, Genetec™, Milestone™, Avigilon™, and more



Unlimited Scalability

Can come pre-loaded with Arkiv, STORM video management system (VMS) software, or can run your favorite VMS. Manage individual systems from the same user interface or upgrade to your VMS software to easily manage multiple servers simultaneously.

Enterprise-Class Storage

Up to 576 TB of storage per server using continuous duty enterprise-class drives.

Enterprise-Class Hardware

Windows 11 Professional is the standard operating systems, with Windows 2022 or 2024 optional. Dual redundant power supply and Hot-swappable Enterprise-Class Hard drives are optional.



*Design and specifications are subjects to change without notice.



4U-MIPS-224T-RAID5-HSDS

Product Specifications

4U Rackmount IP Server w/RAID5

Camera Settings

Maximum IP Cameras Data rate dependent; VMS Application dependent

Compatibility

Video Management Software Arkiv, STORM, LEGEND or 3rd party software such as ExacqVision™, Genetec™, Milestone™, Avigilon™, and more

Server

Server OS Windows 11 Pro 64 bit (standard)
Maximum Storage 576 TB
Drive Bays Optional 2x 2.5" hot-swap drive bay
36x 3.5" hot-swap SAS/SATA drive bay with SES3
DVD / CD-ROM Optional
Keyboard & Mouse Included

On-Board Devices

Network Controllers Dual LAN with Intel® Ethernet i225LM

LAN PCIE Network Card (Startech ST1000SPEX2L GbE, TP-Link TG-3468, or equivalent)

SATA Intel Q670E controller for 8 SATA3 (6 Gbps) ports; RAID 0,1,5,10
PCI-E Add on Card Up to 2 NVMe SSDs

Processor

CPU Latest Generation Intel®Core i7, 30M Cache, up to 5.20 GHz
Core Up to 24 cores
Solid-state Drive 2 x 1TB NVMe M.2 SSD
*Maximum Video Storage Rate 1000 to 1200 Mbps (Windows)

System Memory

RAM 2 x 8GB Memory DDR-5/4800 (or faster)
Memory Type 4400/4000/3600 MT/s
DIMM Sizes 4GB, 8GB, 16GB, 32GB
Memory Voltage 1.1V

3-Year Hardware Warranty, 3-Year Software Subscription Agreement (SSA) 3-year hardware warranty and SSA included.

*Design and specifications are subjects to change without notice. // **Dependent on your Network Configuration and your HDD



4U-MIPS-224T-RAID5-HSDS

Product Specifications

4U Rackmount IP Server w/RAID5

Input / Output

USB Ports	6 x USB 2.0 & 6 x USB 3.1
Display Outputs	1 VGA port, 1 HDMI port, 1 DP (DisplayPort) port, 1 DVI - D port
SATA	8 SATA3 (6Gbps) port(s)
Input Voltage	1200W with Input 200 - 240Vac 1000W with Input 100 - 127Vac 1200W with Input 200 - 240Vdc

General

1U 1200W/1000W Titanium Power Supply W/PMbus W76xL336xH40mm

Heatsink/Fan	Speed Control: 4-pin PWM Rated Voltage: 12.0 VDC Rated Speed: 3,800 RPM
Dimensions	178 mm x 437 mm x 699 mm (H x W x D)
Weight	118 lbs
Regulatory	BSMI CCC CE/EMC FCC class A UL/CB UL/CUL
Optional	Windows Server 2022/2024 32-bit or 64-bit

3-Year Hardware Warranty, 3-Year Software Subscription Agreement (SSA) 3-year hardware warranty and SSA included.

*Design and specifications are subjects to change without notice.

