



Pro-grade wireless security system
for ultimate protection

Specification Sheet



Brandplate

Faceplate for branding StreetSiren DoubleDeck



Learn more
www.inaxsys.com

AJ-Brand-SS-DD-W/B

Faceplate for branding StreetSiren DoubleDeck

Free promotion of security services

Security service providers can print their logo and contact information on the front panel of an outdoor siren. Located at the building, it will serve as an additional marketing channel that reaches new customers: neighbors and visitors.

How to order Brandplates

Brandplate are sold in batches — separately from StreetSiren DoubleDeck. One batch is 10 pcs. To place an order reach out to your regional Ajax distributor.

Free printing

Order 4 batches of Brandplates (40 pcs) or more in a single color to get free printing. Your design may include logo, company name and contact information: website or phone number.

[Our partners](#)

StreetSiren DoubleDeck

Street sirens are a critical element in the home and business security. StreetSiren DoubleDeck attracts attention to break-ins with a loud buzzer and bright LED indicators. Moreover, LED indication and short beeps of the buzzer remind users that premises are armed and delay when entering feature is active. The risk of a false alarm becomes significantly lower.

Secure mounting

Brandplate mounts on StreetSiren DoubleDeck using a clip lock. To make it extremely tight, we provided a possibility to use a screw. Even a strong wind won't tear Brandplate off the siren. And if vandals try to pull it off, the tamper alarm will go off. StreetSiren DoubleDeck will activate a loud buzzer, an alarm monitoring company and users will be immediately notified about a sabotage attempt.

[Manual](#)

Tech Specs

| | |
|---------------------|--------------------------------------|
| Classification | Faceplate for StreetSiren DoubleDeck |
| Installation method | Clip lock and a screw |
| Color | White/Black |

| | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material | Plastic |
| Operating temperature range | From -25°C to +60°C |
| Permissible humidity | Up to 95% |
| Dimensions | 184 × 184 × 17 mm |
| Weight | 111 g |
| Warranty | Replacement and repair within 24 months of the date of sale. If the device does not function properly, we recommend that you first contact the support service as technical issues can be resolved Learn more |
| Complete set | Brandplate faceplates (10 pcs per batch) Quick Start Guide |