


IN-BOXDIN8


UNIFY YOUR SECURITY SOLUTION


In a highly fragmented industry, we have grown to become more than just a manufacturer. Time being our clients' most precious asset, we've adapted our methods and business structure to provide them with the best and simplest experience to ensure the protection of people, information and assets.

OVERVIEW


- DIN Rail cabinet with support for 4 rows by 2 columns (8 modules)
- Complete with removable door, tamper switch and lockset
- Dimensions : 71 cm x 43 cm x 10 cm (29" x 18" x 4")
- Weight : 10.3 kg (22.71 lbs)



E-E (1 : 3)
A
B
E
F
ICT INSIDE DOUBLE KNOCKOUT
OUTSIDE KNOCKOUTS ø29,0 / ø22,0 (42 pcs.)
WELDED
OUTSIDE KNOCKOUTS ø41 (28 pcs.)
WELDED BOLT M4x6
SMPS M4 (2 pcs.)
1
2
3
4
5
6
A (1 : 1)
B (2 : 3)
SMPS M4


F-F (1 : 3)
438,50
34,00
knockout
WELDED CONNECTOR
F
F
19,00
10,00
33,50





TH35 welded






TH35 mounted




430,00
54,00
156,50
9,00
9,75
13,00
82,50
75,00
46,00
341,50
170,00
166,75
166,75
10,00
10,75
706,00
72,00
22,00
Ø5,00
Ø5,50

8,00


7
WELDED CONNECTOR
182,50
22,00

